

# ABB316P6W



Ind. P&S#ABB316P6W

## General Information

Extended Product Type	ABB316P6W
Product ID	2CMA100584R1000
EAN	7392696005845
Catalog Description	Ind. P&S#ABB316P6W
Long Description	IEC Plug 16A 2P3W 220-240V Clock Position Of Grounding Contact 6 hour Color code Blue

## Ordering

EAN	7392696005845
Minimum Order Quantity	1 piece
Country of Origin	Czech Republic (CZ)

## Dimensions

Product Net Width	71 mm
Product Net Height	71 mm
Product Net Length	128 mm
Product Net Depth / Length	128 mm
Product Net Weight	0.186 kg

## Container Information

Package Level 1 Width	95 mm
Package Level 1 Depth / Length	95 mm
Package Level 1 Height	175 mm
Package Level 1 Gross Weight	0.186 kg
Package Level 1 EAN	7392696005845
Package Level 1 Units	1 piece
Package Level 2 Units	400 piece

## Technical UL/CSA

Ampere Rating UL/CSA	16 A
----------------------	------

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0020
Declaration	2CMC700005D0020
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0020
UL Certificate	E109550-19950105-UL_cert_P_B

## Additional Information

Additional Information	2P+E
Cable Cross-Section	1 ... 2.5 mm <sup>2</sup>
Color	Blue
Connection Type	Screw clamp
Degree of Protection	IP67 IP69
Enclosure Material	Thermoplastic polyester (PBT)
Frequency (f)	50 Hz 60 Hz
Function	Plug
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#ABB316P6W
Number of Poles	3
Order Multiple	1 piece
Product Main Type	TP
Product Name	Industrial Plug
Protection Type	Watertight
Rated Current (I <sub>n</sub> )	16 A
Rated Voltage (U <sub>r</sub> )	200 ... 250 V
Recommended Screw Driver	PH2
RoHS Date	L23
Standards	UL 1682, 1686 / CSA C22.2 No. 182.1-13

## Classifications

eClass	27440509
UNSPSC	39120000

## Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Tough & Safe → Plugs

