

## V Series 16 A 600 VAC

- 3 & 6 Contacts
- + Control Contacts
- & Ground



Use small blade screwdriver to push wire entry tab in for easy contact removal



**Crimp Tool**





<b>Cat. No.</b>
WT611TB

**Install to Matching Series Hood/Base**

3 + G + 2 Control	6 + G + 2 Control

**Install to Matching Series Hood/Base**

	Screw Terminal Inserts	3 + G + 2 Control	6 + G + 2 Control
	Male – Pins 20–14 AWG (0.5–2.5 mm <sup>2</sup> )	MS203V	MS206V
	Female – Sleeves 20–14 AWG (0.5–2.5 mm <sup>2</sup> )	FS103V	FS106V

Hoods— Standard Mount				# of Contacts + Ground Connection			
				3 + G + 2 Control		6 + G + 2 Control	
Single Lever	Double Lever	Housing	NPT Entry (in.)	Lever Locking Type			
				Single	Double	Single	Double
		Side Entry	1 x 1/2 1 x 3/4	SH603V —	SH003V —	— SH606Vmv	— SH006V
		Top Entry	1 x 1/2 1 x 3/4	TH803Vmv —	TH203V —	— TH806Vmv	— TH206V

HOODS

\* Metal "M" cover may be available. Contact your Thomas & Betts sales representative.

## V Series 16 A 600 VAC

20, 26 & 32 Contacts  
 + 2 Control Contacts  
 & Ground



Use small blade screwdriver to push wire entry tab in for easy contact removal



**Crimp Tool**






Cat. No.

**WT611TB**

20 + G + 2 Control	26 + G + 2 Control	32 + G + 2 Control

### Screw Terminal Inserts

Screw Terminal Inserts	20 + G + 2 Control	26 + G + 2 Control
 Male – Pins 20–14 AWG (0.5–2.5 mm <sup>2</sup> )	MS210V	MS210V + MS216V
 Female – Sleeves 20–14 AWG (0.5–2.5 mm <sup>2</sup> )	FS110V	FS110V + FS116V

Bases — Standard Mount			# of Contacts + Ground Connection
			V20: (20 + G) or (26 + G) or (32 + G) + 2 Control
Single Lever	Housing	NPT Entry (in.)	Lever Locking Type
			Single
	Panel Base (No Cover)		PB348
	Panel Base w/Cover		PB448
	Box Base (No Cover)	1 x 3/4	BB448mv
		1 x 1 2 x 3/4 2 x 1	BB548mv
	Box Base (No Cover)	1 x 3/4	BB648mv
		1 x 1 2 x 3/4 2 x 1	BB748mv
Hoods— Standard Mount*Plastic body — “A” 3–16 Series standard CAPOTS include Gaskets: EMBASES and Special CAPOTS do not			
	Side Entry	1 x 3/4	SH648mv SH748mv
		1 x 1 1 x 1-1/4	
	Top Entry	1 x 3/4	TH848mv TH948mv
		1 x 1 1 x 1-1/4	

BASE

BASE TO HOOD

HOODS

† Metal “M” cover may be available. Contact your Thomas & Betts sales representative.  
\* Indicates glass-filled thermoplastic construction, black colour (add suffix); quantity purchase may be required