

Circular conductor terminal CU with auxiliary conductor voltage tap 3 units Accessory for: 3VA5 250







Model	
Product brand name	SETRON
Product designation	accessories
Design of the product	circular conductor terminal

Connections according IEC	
IEC-marking / of terminals	16-185 mm ² CU NNL
Connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / finely stranded / minimum • for copper cable / finely stranded / maximum • for copper cable / stranded / minimum • for copper cable / stranded / maximum 	25 mm ² 150 mm ² 16 mm ² 185 mm ²
Wire stripping length	20 mm
Tightening torque / when using copper cables	
<ul style="list-style-type: none"> • stranded • finely stranded 	<= 35 mm ² : 16 Nm, >= 50 mm ² : 31 Nm <= 35 mm ² : 16 Nm, >= 50 mm ² : 31 Nm

Connections according UL

UL-marking / of terminals	TC1.4 CMC 6-350 CU9 UR CSA
Permissible temperature / of connectable conductor / according to UL 486A-486B	90 °C
Wire stripping length	0.8 in
Connectable conductor cross-section <ul style="list-style-type: none"> • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for copper cable / finely stranded / minimum • for copper cable / finely stranded / maximum 	6 AWG 350 kcmil 6 AWG 350 kcmil
Tightening torque / when using copper cables <ul style="list-style-type: none"> • stranded • finely stranded 	<= 2 AWG: 140 lb-in, > 2 AWG: 275 lb-in <= 2 AWG: 140 lb-in, > 2 AWG: 275 lb-in

Certificates

General Product Approval	EMC	Declaration of Conformity	other
 UL	 EAC	 RCM	 EG-Konf.
			Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9233-0JK12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9233-0JK12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9233-0JK12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

02/23/2018