






Interface covers for system interface






#### General technical data:

<b>Product brand name</b>	SIRIUS
<b>Product designation</b>	Interface covers/light gray
<b>Design of the product</b>	For system interface
<b>Ambient temperature</b>	
• during storage	-40 ... +80 °C
• during operation	-25 ... +60 °C

#### Certificates/ approvals:

General Product Approval			EMC	Declaration of Conformity	Test Certificates
 CSA	 UL		 RCM	 EG-Konf.	<a href="#">Type Test Certificates/Test Report</a>

Shipping Approval			other		
 ABS	 LRS	 RMRS	<a href="#">Confirmation</a>	<a href="#">PROFIsafe-Certification</a>	<a href="#">PROFINET-Certification</a>

**other**



Profibus

**Further information**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UF7950-0AA00-0>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UF7950-0AA00-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3UF7950-0AA00-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3UF7950-0AA00-0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UF7950-0AA00-0&lang=en)

