

Operating Unit w/ Bowdencable Max-Flex Operator Complete Kit consisting of: handle steel epoxy coated NEMA 1, 12, 3R black=OFF, red=ON Bowdencable length 36" (0,9 m) Switching mechanism accessory for: 3VA5 250 3VA6 250



Model

Product brand name	SENTRON
Product designation	Accessories

Certificates

General Product Approval	EMC	Declaration of Conformity	Shipping Approval
--------------------------	-----	---------------------------	-------------------



UL

[Miscellaneous](#)



RCM



EG-Konf.



LRS

other

[Manufacturer Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9277-0CK72>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9277-0CK72>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9277-0CK72

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/16/2019