



wire connector for 3 cables; 3 pcs. accessory for: 3VA55/3VA65/3VA66

Model	
product brand name	SETRON
product designation	accessories
General technical data	
designation / of the terminal	TA3.2
Voltage	
Current	
Mechanical Design	
Connections according IEC	
connectable conductor cross-section	
<ul style="list-style-type: none"> <li>• for copper cable / stranded / minimum</li> <li>• for copper cable / stranded / maximum</li> <li>• for aluminum cable / stranded / minimum</li> <li>• for aluminum cable / stranded / maximum</li> </ul>	<ul style="list-style-type: none"> <li>120 mm<sup>2</sup></li> <li>185 mm<sup>2</sup></li> <li>120 mm<sup>2</sup></li> <li>185 mm<sup>2</sup></li> </ul>
Connections according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
Certificates	
General Product Approval	



[Miscellaneous](#)



EMC	Declaration of Conformity	Shipping Approval	other
<p>RCM</p>	<p>EG-Konf.</p> <p>EG-Konf.</p> <p>EG-Konf.</p>	<p>LRS</p>	<p><a href="#">Manufacturer Declaration</a></p>
other			

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3VA9673-0JB32>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3VA9673-0JB32>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=3VA9673-0JB32](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3VA9673-0JB32)

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020