

NEOZED, fuse base, D02, 1-pole, 63 A, Un AC: 400 V, Un DC: 250 V



Model	
Product brand name	NEOZED
Product designation	Fuse base
Design of the product version	NEOZED fuse base installation with protection against contact BGV A3
General technical data	
Number of poles	1
Size of fuse system / acc. to DIN EN 60269-1	D02
Supply voltage	
Operating voltage / rated value	400 V
Dissipation	
Power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	1 W
Main circuit	
Operating current / rated value	63 A
Product details	
Product component / Cover	Yes

## Mechanical Design

Height	83 mm
Width	27 mm
Depth	64 mm
Mounting type	DIN rail
Net weight	116 g
Material / of D fuse base	plastic

## Certificates

Reference code

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F

F

**General Product Approval**

**Declaration of Conformity**

**Test Certificates**



VDE



EG-Konf.

[Type Test Certificates/Test Report](#)

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG1701>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5SG1701>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SG1701](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG1701)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



