


Data sheet | Item number: 216-263

Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red



www.wago.com/216-263



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Technical data

| | |
|----------------------------|-------------------|
| Main product function | Ferrule |
| Sleeve cross-section (AWG) | 18 AWG |
| Sleeve for | 1 mm ² |

Connection data

| | |
|--------------|---------------------|
| Strip length | 14 mm / 0.55 inches |
|--------------|---------------------|

Physical data

| | |
|------------|--------|
| Length | 18 mm |
| Length 1 | 12 mm |
| Diameter | 3.5 mm |
| Diameter 1 | 3 mm |
| Diameter 2 | 1.4 mm |

Mechanical data

| | |
|----------|---------------------|
| Suitable | 2002 to 2006 Series |
|----------|---------------------|

Material data

| | |
|-----------|----------|
| Color | red |
| Fire load | 0.002 MJ |
| Weight | 0.1 g |

Commercial data

| | |
|---------------------------------|--------------------------------|
| Product Group | 2 (Terminal Block Accessories) |
| eCl@ss 10.0 | 27-40-02-01 |
| eCl@ss 9.0 | 27-40-02-01 |
| ETIM 8.0 | EC000005 |
| ETIM 7.0 | EC000005 |
| PU (SPU) | 1000 Stück |
| Packaging type | box |
| Country of origin VKOrg Germany | DE |
| GTIN | 4044918599887 |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number VKOrg Germany

85369010000

Downloads

Documentation

Bid Text


| | | | |
|------------------------|--------------|----------------|----------|
| 216-263 X81 - Datei | Feb 19, 2019 | xml 2.9 kB | Download |
| 216-263 doc - Datei | Sep 11, 2017 | doc 24.1 kB | Download |

Environmental Product Compliance

Compliance Search

| | | |
|---|-----|----------|
| Environmental Product Compliance 216-263 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red | URL | Download |
|---|-----|----------|

Installation Notes



A perfect gas-tight crimp – both electrically
and mechanically reliable

Subject to changes. Please also observe the further product documentation!