


Data sheet | Item number: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored



www.wago.com/210-118



Color: 

Data

Technical data

Main product function

Mounting accessories

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Physical data

Width	2000 mm / 78.74 inches
Height	15 mm / 0.591 inches
Depth	35 mm / 1.378 inches

Material data

Color	silver-colored
Weight	1820 g

Commercial data


Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-06-02
eCl@ss 9.0	27-40-06-02
ETIM 8.0	EC001285
ETIM 7.0	EC001285
PU (SPU)	10 (1) Stück
Packaging type	box
Country of origin VKOrg Germany	IT
GTIN	4017332277181
Customs tariff number VKOrg Germany	72169180000

Optional accessories

Marking accessories

Label		
Item no.: 210-708		
Labels; for TP printers; 9.5 x 25 mm; white		www.wago.com/210-708
Item no.: 210-808		
Labels; for Smart Printer; 9.5 x 25 mm; white		www.wago.com/210-808

Mounting

Mounting accessories		
Item no.: 209-137		
Mounting adapter; can be used as end stop; 6.5 mm wide; gray		www.wago.com/209-137
 Item no.: 249-116		
Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray		www.wago.com/249-116
Item no.: 249-117		
Screwless end stop; 10 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray		www.wago.com/249-117

Subject to changes. Please also observe the further product documentation!



Item no.: 249-197

Screwless end stop; 14 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray

www.wago.com/249-197

Downloads

Documentation

Bid Text

210-118 X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download
------------------------	--------------	---------------	----------

210-118 doc - Datei	Aug 31, 2017	doc 24.1 kB	Download
------------------------	--------------	----------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 210-118	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 210-118	URL	Download
------------------------	-----	----------

ZUKEN Portal 210-118	URL	Download
----------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-118	URL	Download
--	-----	----------

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; silver-colored

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



When using standard DIN-rails as ground conductor busbars, please refer to the maximum current capacities listed above.

Steel DIN-rails are not suited for PEN (ground and N-conductor) applications per EN 60947-7-2 (VDE 0611, Part 3).

Subject to changes. Please also observe the further product documentation!