

Data sheet | Item number: 216-109

Ferrule; Sleeve for 10 mm² / AWG 8; uninsulated; electro-tin plated

www.wago.com/216-109



Data

Technical data

Main product function	Ferrule
Sleeve cross-section (AWG)	8 AWG
Sleeve for	10 mm ²

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

Strip length	12 mm / 0.47 inches
--------------	---------------------

Physical data

Length	12 mm
Diameter	5.8 mm
Diameter 2	4.5 mm

Material data

Weight	0.3 g
--------	-------

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-02-01
eCl@ss 9.0	27-40-02-01
ETIM 8.0	EC000005
ETIM 7.0	EC000005
PU (SPU)	1000 (250) Stück
Packaging type	box
Country of origin VKOrg Germany	DE
GTIN	4017332277716
Customs tariff number VKOrg Germany	85369010000

Downloads

Documentation

Bid Text

216-109 X81 - Datei	Feb 19, 2019	xml 2.8 kB	Download
216-109 doc - Datei	Sep 11, 2017	doc 24.6 kB	Download

Environmental Product Compliance

Compliance Search

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!