


Data sheet | Item number: 210-198

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

www.wago.com/210-198



Color: 

Data

Technical data

Main product function

Mounting accessories

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Physical data

Width	2000 mm / 78.74 inches
Height	15 mm / 0.591 inches
Depth	35 mm / 1.378 inches

Material data



Color	copper-colored
Weight	2075 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-06-02
eCl@ss 9.0	27-40-06-02
ETIM 8.0	EC001285
ETIM 7.0	EC001285
PU (SPU)	10 (1) Stück
Packaging type	box
Country of origin VKOrg Germany	IT
GTIN	4017332277167
Customs tariff number VKOrg Germany	74071000000

Optional accessories

Mounting

Mounting accessories		
	Item no.: 209-137 Mounting adapter; can be used as end stop; 6.5 mm wide; gray	www.wago.com/209-137
	Item no.: 249-116 Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray	www.wago.com/249-116
	Item no.: 249-117 Screwless end stop; 10 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray	www.wago.com/249-117
	Item no.: 249-197 Screwless end stop; 14 mm wide; for DIN-rail 35 x 15 and 35 x 7.5; gray	www.wago.com/249-197

Marking accessories

Label		
	Item no.: 210-708 Labels; for TP printers; 9.5 x 25 mm; white	www.wago.com/210-708

Subject to changes. Please also observe the further product documentation!



Item no.: 210-808

Labels; for Smart Printer; 9.5 x 25 mm; white

www.wago.com/210-808

Downloads

Documentation

Bid Text

210-198 X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download
210-198 doc - Datei	Aug 31, 2017	doc 24.6 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 210-198	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 210-198	URL	Download
ZUKEN Portal 210-198	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	URL	Download
---	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



When using standard DIN-rails as ground conductor busbars, please refer to the maximum current capacities listed above.

Steel DIN-rails are not suited for PEN (ground and N-conductor) applications per EN 60947-7-2 (VDE 0611, Part 3).

Subject to changes. Please also observe the further product documentation!