

Data sheet | Item number: 210-648

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short



www.wago.com/210-648



Data

Technical data

Main product function	Operating tool
Number of spacings	1 -way

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Length	100 mm
--------	--------

Material data

Weight	7.2 g
--------	-------

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	21-04-04-07
eCl@ss 9.0	21-04-04-07
ETIM 8.0	EC000158
ETIM 7.0	EC000158
PU (SPU)	50 (1) Stück
Packaging type	bag
Country of origin VKOrg Germany	DE
GTIN	4045454997359
Customs tariff number VKOrg Germany	82055980000

Downloads

Documentation

Bid Text

210-648 X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download
210-648 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download

CAD/CAE-Data

CAE data

EPLAN Data Portal 210-648	URL	Download
---------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Environmental Product Compliance 210-648

[URL](#)

[Download](#)

Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; angled; short

Installation Notes



The blade dimensions (DIN 5264) of the above-listed operating tools are ideal for operating 280 Series Front-Entry Sensor/Actuator Terminal Block.

Subject to changes. Please also observe the further product documentation!