

# F204 AC-40/0,3 IEC



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs  
Residual Current Devices RCDs

## General Information

**Extended Product Type:** F204 AC-40/0,3 IEC

**Product ID:** 2CSF204005R3400

**EAN:** 8012542817802

**Catalog Description:** F204 AC-40/0,3 IEC - Resid. Current Dev.

**Long Description:** The RCCBs F200 series assures protection to people and installations against fault current to earth. This product is manufactured according to international IEC standards, for the markets where it is required.

## Additional Information

<b>Country of Origin:</b>	Italy (IT)
<b>Customs Tariff Number:</b>	85363030
<b>Data Sheet, Technical Information:</b>	2CSC400002D0209
<b>Declaration of Conformity - CE:</b>	9AKK106713A5602
<b>EAN:</b>	8012542817802
<b>ETIM 4:</b>	EC000003 - Residual current circuit breaker (RCCB)
<b>ETIM 5:</b>	EC000003 - Residual current circuit breaker (RCCB)
<b>ETIM 6:</b>	EC000003 - Residual current circuit breaker (RCCB)
<b>Environmental Information:</b>	S-P-00081
<b>Instructions and Manuals:</b>	2CSF423001D6406
<b>Invoice Description:</b>	F204 AC-40/0,3 IEC - Resid. Current Dev.
<b>Minimum Order Quantity:</b>	1 piece
<b>Number of Poles:</b>	4
<b>Object Classification Code:</b>	Q
<b>Operating Characteristic:</b>	Instantaneous
<b>Options Provided:</b>	-
<b>Package Level 1 EAN:</b>	8012542817802
<b>Package Level 1 Gross Weight:</b>	0.403 kg
<b>Package Level 1 Height:</b>	0.078 m
<b>Package Level 1 Length:</b>	0.096 m
<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.082 m
<b>Position of Neutral Terminals:</b>	Right
<b>Power Loss:</b>	at Rated Operating Conditions per Pole 3.2 W
<b>Product Main Type:</b>	F200
<b>Product Name:</b>	Residual Current Circuit Breaker
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Weight:</b>	0.360 kg
<b>Product Net Width:</b>	0.070 m
<b>Rated Current (I<sub>n</sub>):</b>	40 A
<b>Rated Frequency (f):</b>	50 ... 60 Hz
<b>Rated Operational Voltage:</b>	230 / 400 V AC
<b>Rated Residual Current:</b>	300 mA
<b>RoHS Status:</b>	Following EU Directive 2011/65/EC
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	Residual Current Device - F204 AC-40/0,3 IEC
<b>Standards:</b>	IEC 61008
<b>Type of Residual Current:</b>	AC type
<b>Accessories Available:</b>	Yes

