

# MCB-11



Products Low Voltage Products and Systems Control Products Pilot Devices Pilot Devices - Modular Range

## General Information

<b>Extended Product Type:</b>	MCB-11
<b>Product ID:</b>	1SFA611610R1011
<b>EAN:</b>	7320500307779
<b>Catalog Description:</b>	MCB-11 Contact block
<b>Long Description:</b>	Modular contact block

## Additional Information

<b>ABB Industrial IT Suite:</b>	Control IT
<b>Accessory Type:</b>	Contact blocks and holders
<b>Block:</b>	Double contact block
<b>Country of Origin:</b>	Sweden (SE)
<b>Customs Tariff Number:</b>	85369001
<b>Data Sheet, Technical Information:</b>	1SFC151003C0201
<b>Declaration of Conformity - CE:</b>	1SFA1-83
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
<b>E-nummer:</b>	E3714017
<b>EAN:</b>	7320500307779
<b>ETIM 4:</b>	EC002024 - Accessories for control circuit devices
<b>ETIM 5:</b>	EC000041 - Auxiliary contact block
<b>ETIM 6:</b>	EC000041 - Auxiliary contact block
<b>Environmental Information:</b>	1SFC151010D0201
<b>Function:</b>	Without holder
<b>IT Publishing Status:</b>	Level 0 - Information enabled
<b>Illumination:</b>	Non-illuminated
<b>Industrial IT Certification Level:</b>	0
<b>Instructions and Manuals:</b>	1SFC151003C0201
<b>Invoice Description:</b>	CONTACT BLOCK#MCB-11
<b>Mechanical Durability:</b>	10 million
<b>Minimum Order Quantity:</b>	10 piece
<b>Mounting Positions:</b>	Front mounting
<b>Number of Auxiliary Contacts NC:</b>	1
<b>Number of Auxiliary Contacts NO:</b>	1
<b>Object Classification Code:</b>	S
<b>Package Level 1 Gross Weight:</b>	0.04 kg
<b>Package Level 1 Height:</b>	0.02 m
<b>Package Level 1 Length:</b>	0.15 m
<b>Package Level 1 Units:</b>	10 piece
<b>Package Level 1 Width:</b>	0.11 m
<b>Product Main Type:</b>	MCB
<b>Product Name:</b>	Contact block
<b>Product Net Depth:</b>	0.028 m
<b>Product Net Height:</b>	0.020 m
<b>Product Net Weight:</b>	0.04 kg
<b>Product Net Width:</b>	0.044 m
<b>Product Range:</b>	Modular range

<b>Product Type:</b>	MCB
<b>Rated Frequency (f):</b>	Supply Circuit 50 Hz Supply Circuit 60 Hz
<b>Rated Operational Current AC-15 (I<sub>e</sub>):</b>	(24 / 127 V) 8 A (220 / 240 V) 6 A
<b>Rated Operational Current DC-13 (I<sub>e</sub>):</b>	(24 V) 5 A (125 V) 1.1 A
<b>RoHS Date:</b>	0635 4
<b>RoHS Information:</b>	1SFC151011D0203
<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	CONTACT BLOCK#MCB-11
<b>Suitable For:</b>	MP1 MP2 MP3 MP4 MPD1 MPD2 MPD3 MPD4 MPD5 MPD11 MPD12 MPD13 MPD14 MPD15 MPD16 MPM1 MPM2 KP6 MPET3 MPEP3 MPEK3 MPET4 MPEP4 MPEK4 MPMT3 MPMT4 MPMP3 MPMP4 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 M2SS6 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS6 M3SS7 M3SS8 M3SSC1 M3SSC2 M3SSC3 M3SSC4 M3SSC5 M3SSC6 M3SSC7 M3SSC8

.....  
M2SSK1  
M2SSK2  
M2SSK3  
M3SSK1  
M3SSK2  
M3SSK3  
MTS1  
MTS2  
MTS3  
MJS1  
MJS2  
MJS5  
MJS6  
MJS7  
MJS8  
MJS11  
MJS12

---

UNSPSC:

39121500