

Mounting clip for Basic Panel 1st generation from 4" except 4" color, Comfort panel 7 ... 12", TP 177 4", TP/OP 277 6", MP177, MP 277, MP 377, Thin Client, IPC277D 7 ... 12", Sheet thickness 4 ... 6 mm  
 Further information, Quantity and content: see technical data



Figure similar

General information	
Product type designation	Mounting clip, aluminum
Installation type/mounting	
Mounting in portrait format possible	Yes
Mounting in landscape format possible	Yes
Standards, approvals, certificates	
CE mark	No; No CE marking obligation
RoHS conformity	Yes
Use in hazardous areas	
<ul style="list-style-type: none"> <li>• ATEX Zone 2</li> </ul>	Yes; Always comply with the operating instructions of the target device.
<ul style="list-style-type: none"> <li>• ATEX Zone 22</li> </ul>	Yes; Always comply with the operating instructions of the target device.
<ul style="list-style-type: none"> <li>• IECEx Zone 2</li> </ul>	Yes; Always comply with the operating instructions of the target device.
<ul style="list-style-type: none"> <li>• IECEx Zone 22</li> </ul>	Yes; Always comply with the operating instructions of the target device.

Ambient conditions	
Suited for indoor use	Yes
Suited for outdoor use	Yes; Possible under certain conditions
Ambient temperature during operation	
• min.	-40 °C
• max.	80 °C
Ambient temperature during storage/transportation	
• min.	-40 °C
• max.	80 °C
Relative humidity	
• Operation, max.	90 %
Mechanics/material	
Material	
• Sheet steel	Yes
Screw type	
• 4.5 V	Yes
Dimensions	
Width	15 mm
Height	21 mm; Without screw
Depth	15 mm
Weights	
Weight without packaging	5 g; Per unit
Scope of supply	
Delivery quantity in pieces	20; Units per set
Other	
Merchandise	No
Manufacturer name	SIEMENS AG
Manufacturer's address	Gleiwitzerstraße 555, 90475 Nuremberg, Germany
Target devices	TP177-4", TP/OP277-6", MP177-6, MP277-10"T, MP277-8", MP277-8"T, MP277-10"K, MP377 12"-19", TC 10", TC 15", KTP400 Basic mono, KTP600 Basic, KTP1000 Basic, TP1500 Basic, KP700 Comfort, TP700 Comfort, KP900 Comfort, TP900 Comfort, KP1200 Comfort, TP1200 Comfort and IPC277D 7", 9", 12"
Usable in the following products	
• Product 1	<a href="#">6AV6642-0BD01-3AX0</a>
• Product 2	<a href="#">6AV6643-0AA01-1AX0</a>
• Product 3	<a href="#">6AV6643-0BA01-1AX0</a>
• Product 4	6AV6643-7BA00-*
• Product 5	<a href="#">6AV6642-0EA01-3AX0</a>
• Product 6	6AV6643-0D*

- Product 7
- Product 8
- Product 9
- Product 10
- Product 11
- Product 12
- Product 13
- Product 14
- Product 15
- Product 16
- Product 17
- Product 18
- Product 19
- Product 20
- Product 21
- Product 22
- Product 23
- Product 24
- Product 25
- Product 26
- Product 27

6AV6643-0C\*  
[6AV6643-0ED01-2AX0](#)  
6AV6643-7CD00\*  
6AV6643-7DD00-\*  
6AV6644-\*  
[6AV6647-0AA11-3AX0](#)  
[6AV6647-0AB11-3AX0](#)  
[6AV6647-0AC11-3AX0](#)  
[6AV6647-0AD11-3AX0](#)  
[6AV6647-0AE11-3AX0](#)  
[6AV6647-0AF11-3AX0](#)  
[6AV2124-1GC01-0AX0](#)  
[6AV2124-0GC01-0AX0](#)  
[6AV2124-1JC01-0AX0](#)  
[6AV2124-0JC01-0AX0](#)  
[6AV2124-0MC01-0AX0](#)  
[6AV2124-1MC01-0AX0](#)  
[6AV6647-0AG11-3AX0](#)  
[6AV2124-0QC13-0AX0](#)  
[6AV2124-0GC13-0AX0](#)  
[6AV2124-0QC13-0AX0](#)

**last modified:**

08/15/2019