



**smartPRINTER; WMB Inline, marking strips, wire markers;
Resolution 300 dpi**

Item No.: 258-5000



smartPRINTER; WMB Inline, marking strips, wire markers; Resolution 300 dpi

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	258-5000
GTIN / EAN	4050821520993
Content	1
Order amount	1
Customer item number	

Notes

Item description: Includes: Power supply and power cable USB cable One roll of marking strips and WMB Inline markers each 2x roller 1x reel holder 1x ink ribbon smartSCRIPT marking software and driver Ink ribbon: Reel outside diameter: 40 mm; core inside diameter 0.5" (12.7 mm); max. length 110 m; max. width 58 mm

Technical data

Miscellaneous

Packaging type	BOX
Printing method	Thermal transfer
Print head	Glass layer, spring-mounted

Technical data	
<i>Print resolution [dpi]</i>	<i>300 [dpi]</i>
<i>Print resolution</i>	<i>300 dpi (12 pixels/mm)</i>
<i>Print speed</i>	<i>max. 127 mm/s (WAGO recommends 50.8 mm/s)</i>
<i>Print width [mm]</i>	<i>47 [mm]</i>
<i>Print length (max.) [mm]</i>	<i>762 [mm]</i>
<i>See-through/reflective sensor</i>	<i>yes, centrally fixed</i>
<i>RAM memory</i>	<i>8 MB Flash, 16 MB SDRAM</i>
<i>Interfaces</i>	<i>USB, RS-232, ETHERNET 10/100 Mbps</i>
<i>Operating voltage</i>	<i>100 ... 240 VAC, 50 ... 60 Hz (automatic adjustment)</i>
<i>Safety approvals</i>	<i>CE (EMC)</i>
<i>Operation display</i>	<i>Color TFT LCD with navigation button</i>
<i>Ambient temperature (storage)</i>	<i>-20 ... 50 °C</i>
<i>Fire load [MJ]</i>	<i>10.154 [MJ]</i>
<i>Width</i>	<i>135 mm / 5.315 Inch</i>
<i>Height</i>	<i>175 mm / 6.89 Inch</i>
<i>Depth</i>	<i>245 mm / 9.646 Inch</i>
<i>Weight [g]</i>	<i>3840 [g]</i>

Images & drawings



Address

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Telefon: 0571/887-0
Fax: 0571/887-169
<http://www.wago.com>
© WAGO Kontakttechnik GmbH & Co. KG
Technische Änderungen und Irrtümer vorbehalten.